

### SECTION 1: Identification

#### 1.1. Identification

Product form : Mixture  
Name : Formitrol Ant Bait Gel  
Synonyms : EPA Reg. No.: 89459-135, 100547095, RF2322 D Plus Gel

#### 1.2. Recommended use and restrictions on use

Recommended use : Insecticide. Insect growth regulator.  
Restrictions on use : Avoid contact with skin and eyes. Keep out of reach of children.

#### 1.3. Supplier

Central Garden & Pet  
1501 E. Woodfield Road, Suite 200W  
Schaumburg, IL 60173 - United States  
www.zoecon.com

#### 1.4. Emergency telephone number

Emergency number : 1-800-248-7763  
1-800-424-9300 - CHEMTREC  
1-703-527-3887 - CHEMTREC - Outside North America - Collect Calls Accepted

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

##### GHS US classification

Not classified

#### 2.2. GHS Label elements, including precautionary statements

##### GHS US labeling

No labeling applicable

#### 2.3. Other hazards which do not result in classification

Other hazards which do not result in classification : This pesticide is toxic to shrimp and aquatic invertebrates. This product is highly toxic to bees exposed to direct treatment. Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is not considered hazardous.

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

### SECTION 3: Composition/Information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%
Dinotefuran	(CAS-No.) 165252-70-0	0.05
(s)-Methoprene Technical	(CAS-No.) 65733-16-6	0.1
Proprietary disaccharide	(CAS-No.) N/A	45
Non-hazardous and/or does not meet criteria for classification	(CAS-No.) N/A	Balance

Comments : \* The specific chemical identity and/or exact percentage (concentration) has been withheld as a trade secret

### SECTION 4: First-aid measures

#### 4.1. Description of first aid measures

First-aid measures after inhalation : IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.  
First-aid measures after skin contact : IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.  
First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice and attention.

# Formitrol Ant Bait Gel

## Safety Data Sheet

First-aid measures after ingestion : IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. Do NOT induce vomiting unless directed to do so by medical personnel.

### 4.2. Most important symptoms and effects (acute and delayed)

No additional information available

### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.  
Unsuitable extinguishing media : Avoid heavy hose streams.

### 5.2. Specific hazards arising from the chemical

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Avoid contact with skin, eyes and clothing.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Positive pressure self-contained breathing apparatus (SCBA). For further information refer to section 8: Exposure controls/personal protection.  
Emergency procedures : Do NOT wash away into sewer. Avoid release to the environment. Evacuate unnecessary personnel. Stay upwind. Stop leak if safe to do so. Ventilate area. Wear appropriate personal protective equipment, avoid direct contact.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Absorb spills with an inert material, clay granules or other inert absorbent material and put in container for disposal.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Avoid electrical portions of equipment due to the possibility of shock hazard. Keep only in original container.  
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Keep only in original container. Keep container closed when not in use. Do not store near oxidizing agents. Protect from sunlight.  
Incompatible materials : Strong oxidizers.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Proprietary disaccharide (N/A)		
ACGIH	ACGIH OEL TWA	10 mg/m <sup>3</sup>
ACGIH	Remark (ACGIH)	Dental erosion
OSHA	OSHA PEL TWA [1]	15 mg/m <sup>3</sup> (total dust) 5 mg/m <sup>3</sup> (respirable fraction)
NIOSH	NIOSH REL TWA	10 mg/m <sup>3</sup> (total dust) 5 mg/m <sup>3</sup> (respirable dust)

# Formitrol Ant Bait Gel

## Safety Data Sheet

### 8.2. Appropriate engineering controls

- Appropriate engineering controls : Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable threshold limit values.
- Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

#### Hand protection:

Protective gloves

#### Eye protection:

Safety glasses. Safety glasses

#### Skin and body protection:

If prolonged exposure is anticipated, it is recommended for handlers to wear appropriate clothing to prevent skin contact.

#### Respiratory protection:

In case of insufficient ventilation, use NIOSH approved respiratory protection.



## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid (semi-solid - gel)
Appearance	: Translucent pale yellow liquid
Color	: Translucent pale yellow
Odor	: Weak, neutral, musty-like
Odor threshold	: No data available
pH	: 6.71 @ 25 °C (77 °F)
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability	: Not applicable
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.2505 g/cm <sup>3</sup> @ 20 °C (68 °F)
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: 875,255 cP @ 20 °C (68 °F), 523,801 cP @ 40 °C (104 °F)
Explosion limits	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: Not applicable

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

# Formitrol Ant Bait Gel

## Safety Data Sheet

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

Avoid direct sunlight. Avoid electrical portions of equipment due to the possibility of shock hazard.

### 10.5. Incompatible materials

Strong oxidizing agents.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Formitrol Ant Bait Gel	
LD50 oral rat	> 5000 mg/kg (female rats)

GHS-US Properties	Classification
Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified
Skin corrosion/irritation	Not classified
Serious eye damage/irritation	Not classified
Respiratory or skin sensitization	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
Specific target organ toxicity (single exposure)	Not classified
Specific target organ toxicity (repeated exposure)	Not classified
Aspiration hazard	Not classified

### Potential health effects

#### Inhalation

Acute : Under normal conditions of use, no health effects are expected.

#### Skin

Acute : Under normal conditions of use, no health effects are expected.

#### Eye

Acute : May cause mild eye irritation.

#### Ingestion

Acute : Under normal conditions of use, no health effects are expected.

#### Mutagenicity

: Dinotefuran technical was negative in the following in vitro assays: Ames Assay, mouse lymphoma (L5178Y), mammalian cytogenetics (CHL/IU) or DNA Repair. (s)-Methoprene has been tested and found negative for mutagenicity potential.

#### Carcinogenicity

: Dinotefuran technical is not classified as a carcinogen by NTP, IARC or OSHA. (s)-Methoprene is not classified as a carcinogen by NTP, IARC or OSHA.

#### Reproductive Effects

: Dinotefuran technical did not produce developmental effects in rats at doses up to 1000 mg/kg/day (the highest does tested). (s)-Methoprene is not a reproductive toxin and does not cause birth defects.

## SECTION 12: Ecological information

### 12.1. Toxicity

Dinotefuran (165252-70-0)	
LC50 Acute fish 1	> 100 mg/l (Exposure time: 96h - Rainbow trout)
LC50 Acute crustacea 1	> 1000 mg/l (Exposure time: 48h Daphnia)

# Formitrol Ant Bait Gel

## Safety Data Sheet

<b>(s)-Methoprene Technical (65733-16-6)</b>	
LC50 Acute fish 1	0.76 mg/l (Exposure time: 96h - Rainbow trout)
LC50 Acute fish 2	> 0.37 mg/l (Exposure time: 96h - Blue gill)
LC50 Acute crustacea 1	0.11 mg/l (Exposure time: 96h - Mysid shrimp)
LC50 Acute crustacea 2	0.36 mg/l (Exposure time: 48h Daphnia)
NOEC Chronic fish 1	0.048 mg/l (Fathead minnow)
NOEC Chronic crustacea 1	0.014 mg/l (Mysid shrimp)

### 12.2. Persistence and degradability

<b>(s)-Methoprene Technical (65733-16-6)</b>	
Persistence and degradability	(s)-Methoprene degrades rapidly in sunlight, both in water and on inert surfaces. The pesticide also is metabolized rapidly in soil and does not leach. Thus, it should not persist in soil or contaminate ground water.

### 12.3. Bioaccumulative potential

No data available

### 12.4. Mobility in soil

<b>(s)-Methoprene Technical (65733-16-6)</b>	
Mobility in soil	Rapidly metabolized in soil under both aerobic and anaerobic conditions (half-life 10-14 days).

### 12.5. Other adverse effects

<b>Formitrol Ant Bait Gel</b>	
Ecological Fate	This pesticide is toxic to shrimp and aquatic invertebrates. This product is highly toxic to bees exposed to direct treatment.

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

## SECTION 14: Transport information

	UN number	Proper Shipping Name	Transport hazard class(es)	Packing group	Environmental hazards
<b>DOT</b>	Not regulated	Not regulated	Not regulated	Not regulated	Not applicable
<b>IMDG</b>	Not regulated	Not regulated	Not regulated	Not regulated	Not applicable
<b>IATA</b>	Not regulated	Not regulated	Not regulated	Not regulated	Not applicable

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

<b>EPA Labelling</b>	
EPA Registration Number	89459-135
This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.	
FIFRA Precautionary statements	KEEP OUT OF REACH OF CHILDREN.
FIFRA Environmental hazards	This pesticide is toxic to shrimp and aquatic invertebrates. Do not apply directly to water, areas where surface water is present or to intertidal areas below the mean high water mark. Drift or run off from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters. This product is highly toxic to bees exposed to direct treatment. Do not apply this product if bees are actively foraging in the treatment areas.
FIFRA Physical hazards	Do not use this product in or on electrical equipment due to the possibility of shock hazard. Do not use near strong oxidizing agents

# Formitrol Ant Bait Gel

## Safety Data Sheet

---

### 15.2. US State regulations

No additional information available

## SECTION 16: Other information

Issue date : 21 September 2023

SDS US (GHS HazCom 2012) - CGP

*The information and statements herein are believed to be reliable but are not to be construed as a warranty or representation for which we assume legal responsibility. Users should undertake sufficient verification and testing to determine the suitability for their own particular purpose of any information or products referred to herein. NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE IS MADE.*