Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. This Standard must be consulted for specific requirements

U.S. Department of Labor

Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved OMB No. 1218.0072

IDENTITY - Greenway Formula 7	Note. Blank spaces are not permitted. If any item is
	no applicable, or no information is available, the
Greenway GF7 General Purpose Cleaner	space
	must be marked to indicate that.

Section I

Manufacturer's Name Greenway Formula 7	Emergency telephone Number	1 855 746-7929
Address (Number, Street, City, State, and Code) 425 N. Meridian	Telephone Number for Information	405 429-5250
	Date Prepared 04/02/2014	
Oklahoma City, OK 73107	Signature of Preparer (optional)	Thomas Imose, MS

Section II - Hazard Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity;	OSHA PEL	ACGIH	Other Limits	%
Common Name (s)) Purified water, clove, lemongrass, peppermint,	n/a	TVL n/a	Recommended n/a	(optional) n/a
cinnamon, eucalyptus and rosemary				

Section III - Physical/Chemical Characteristics

Boiling Point	212 deg F	Specific Gravity (H2O = 1)	1.0600 n/a
Vapor Pressure (mm Hg.)	1mm Hg@78c	Melting Point	
Vapor Density (AIR = 1)	n/a	Evaporation Rate (Butyl Acetate = 1)	n/a
Solubility in Water SLIGHTLY SOLUBLE			
Appearance and Odor CLEAR			

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used NONE	Flammable LindinE	LEL NONE	^{UEI} NONE
$egin{array}{ll} ext{Extinguishing Media} & ext{Use water spray, dry chemical, carbon dioxide or appropriate foam} \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$			
Special Fire Fighting Peace के अपिक Contained breathing apparatus in pressure demand MSHA/NIOSH appoved			
- NFPA/HMIS;HEALTH-2;FLAMMABILITY-1;REACTIVITY-0			
Unusual Fire and Explosion Hazards NONE			

Section V - Reactivity Data

Stability N/A	Unstable N/A	Conditions to Avoid
	Stable	
Incompatibility (Materials to Avoid) St	rong Oxidizing Agentsmetals, etc.	
Hazardous Decomposition or Byproducts	Carbon Monoxide; Carbon Dioxide	
Hazardous Polymerization Will not occur	May Occur n/a	Conditions to Avoid
	Will Not Occur	

Route(s) of Entry:	Inhalation?	Skin?	Ingestion?
Health Hazards (Acute and Chroni	ic)	<u> </u>	<u> </u>
S	Substance is not listed in the F	lealth and Safety Report	
Carcinogenicity: None listed	NTP? None Listed	IARC Monographs? None	OSHA Regulated? None
Signs and Symptoms of Exposure	No occupational exposur	e limits are known	
Medical Conditions	N/A		
Generally Aggravated by Exposure			
Emergency and First Aid Procedures SKIN CONTACT; wash with soap and plenty of water; EYE CONTACT; flush with			
Water for 10 minutes;INGESTION;rinse mouth with water;get medical if symptoms appear			
•		•	

Section VII - Precautions for Safe Handling and Use

Steps to Be Taken In Case Material is Released or Spilled	Use proper personal protective equipment as indicated			
In section 8, absorb spill with inert materials (e.g. verm	iculite, sand or earth), then place in suitable container.			
Wash area with soap and water, clean up spills immedi	Wash area with soap and water, clean up spills immediately; provide ventilation.			
Waste Disposal Method In accordance with applicable	e regulation; combustion in an incinerator at approved site.			
Precautions to Be taken in Handling and Storing Facilities storing or	utilizing this material should be equipped with an eyewash			
Facility and safety shower				
Other Precaution EYES – Wear appropriate eyeglasses or cl	hemical safety goggles as described by OSHA.			
Clothing and Respirators according to 0	OSHA found in Regulation 29 CFR 1910.134			

Section VII - Control Measures

Respiratory Protection (Specify Type)		
Ventilation	Local Exhaust	Special

Mechanica	l (General)	Other	
		<u> </u>	
Protective GlovSEE ABOVE INSTRUCTIONS	Eye Protection	SEE THE ABOVE	
Other Protective Clothing or Equipment	SEE ABOVE		
Work/Hygienic Practices K	EEP WORK AREA ALWAYS CLEAN		
Section IX - Special Precautio	ns		
Precaution to be taken Handling and St	oring NONE		
Other Precautions			
Each MSDS must be reviewed for correctness and completeness every three years.			
Reviewed by Thomas Imose, MS Industrial Chem/CorrosionSpecialist Oil/Gas Reviewedby			
Reviewedby			
Reviewed by	Reviewed by		