

DIATECT® III

Insect Control

For Industrial / Commercial use only

A desiccant dust
Provides quick control
Kills up to 6 months when left undisturbed
Odorless / non-staining

ACTIVE INGREDIENTS:

Pyrethrins0.2%
Piperonyl Butoxide, Technical*.....1.0%
Silicon Dioxide.....82.0%

INERT INGREDIENTS 16.8%

Total 100.0%

*Equivalent to 0.8% (butylcarbityl) (6-propylpiperonyl) ether and 0.2% related compounds

KEEP OUT OF REACH OF CHILDREN

CAUTION

See other panels for additional precautionary statements

EPA Reg. No. 42850-1

EPA Est. 42850-UT-1

Net Wt: One (1) lb.

Batch No. _____

Diatect International, Inc.
875 S. Industrial Parkway
Heber City, UT 84032
www.diatect.com

800-227-6616

WARRANTY STATEMENT

Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as weather, compatibility with other chemicals, and conditions of application equipment vary, seller makes no claims other than those on this label.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Avoid contact with eyes and skin. Use in adequate ventilation and avoid breathing dust.

First Aid

If on Skin: Wash affected areas with plenty of soap and water. Get medical attention if irritation persists.

If Swallowed: Call a poison control center or doctor immediately for treatment advise. Have the person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center.

If Inhaled: Remove person to fresh air. If not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth to mouth.

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present after the first five minutes, and then continue rinsing. Contact a poison control center or doctor for treatment advise.

Environmental Hazards: This product is toxic to fish. Do not apply directly to any body of water. Do not apply when weather conditions favor drift from the treatment area. Do not contaminate water by disposal of equipment wash rinses. Apply this product only as specified on this label.



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Storage: Store in original container in a cool, dry place out of sunlight. Protect from moisture.

Disposal: Do not reuse empty container. Wrap and put into trash.

GENERAL INFORMATION: Carefully follow the directions for use. Use rates will vary with insect populations and adequate control should be obtained using 16 ounces per 1000 square feet of this product. This material can be used either: **As a dust:** The best results are obtained when the insect path, home, infested area plants are wet or dew still remains on the leaf surface. It is suggested that the plants be misted prior to application to obtain the maximum benefits and use the least amount of product for control. Reapply only as necessary; **As a wettable powder,** Apply in sufficient water to obtain maximum coverage. Dilution of the material should be at the rate of one half pound in one half gallon of water or at a maximum of one pound to 25 gallons of water. It is best to keep the material agitated during application. Apply the material uniformly to both the upper and lower leaf surfaces. Reapply only as necessary.

This product can be used in the following areas including but not limited to: Food processing plants, warehouses, bakeries, beverage plants, restaurants supermarkets, meat and poultry processing plants, hotels, motels, hospitals, schools, office buildings, theaters, truck trailers, railroad cars, mills, elevators, granaries, sanitary sewers, parks, (city, state and federal) cemeteries, sea going vessels, airplanes, busses, churches, apartment buildings, camp grounds, garages, golf courses, restroom facilities (indoor& outdoor).

Diatect III is intended for application by hand or power duster or other suitable means, to hiding and running areas, and places where pests are found.

To apply Diatect III into cracks and crevices, use a bulbous duster or other suitable equipment. Apply lightly and uniformly in treatment area. The amount to be applied will vary with the site, but should usually be 8 to 16 oz. Per 1,000 sq. ft. Repeat treatment as necessary to maintain adequate control.

Apply either as a Dust or as a Wettable Powder.

Water Method use 2 ounces (1/4 cup) to one gallon of water. It is best to keep the material agitated during application.

To control insects such as but not limited to, Ants, Armyworms, Caterpillars, Chinch Bugs, Cutworms, Fire Ants, Fleas, Lice, Ticks, Cockroaches, Silverfish, Spiders, Box elder Bugs, Crickets, Sow bugs, Pill bugs, Ground Beetles, Earwigs, Millipedes, Centipedes and Scorpions.

Fire Ants: As a Dust: For best results; dust the perimeter of the mound first. With a stick, disturb the mound, then dust mound in a circular motion working toward the center until the mound is thoroughly dusted. Mound Drench or Water Method: Use 2 ounces (1/4 cup) to one gallon of water. For best results, saturate the perimeter of the mound first, working toward the center of the mound in a circular motion (you may want the mixture to puddle). An ant mound 12-14 inches in diameter requires approximately one gallon of mix.

Ants, Cinch Bugs, Caterpillars, Cut Worms, Armyworms, Fleas and Ticks As a Dust: The best results are obtained when applied with a hand or power duster or other suitable means of application to the infested area. Apply lightly and uniformly to the treatment area. Hand Sprayer: Use 2.0 oz. (1/4 cup) to one gallon of water. It is best to keep the material agitated during application. Apply the contents to pre-measured area.

DIATECT is a registered trademark of Diatect International. Freddy the Fire Ant is a trademark of Diatect International.